



SafeLine Step with black insert

SafeLine® Series

LOW PROFILE STAIR EDGING WITH ANTI-SLIP TAPE INSERTS



COST EFFECTIVE COMPLIANCE

SafeLine® is a cost effective option that combines the best features of the ProStep® and PosiTread® ranges. SafeLine® uses a self adhesive anti-slip tape, manufactured from a unique combination of aluminium oxide and a thick plastic carrier, providing a flexible yet durable anti-slip solution. SafeLine® is available in **Twin**, **Step** and **Tread** variants, in both natural silver and anodised black aluminium. Suitable for both internal and external use, SafeLine® provides a cost effective safety stair edging that meets standards but doesn't compromise on aesthetics. SafeLine® Tape can also be applied directly to the stair tread.

PERFECT FOR

Light duty pedestrian traffic in internal and external environments and areas prone to water or oil spillage.


WHERE IS SAFELINE® USED

SafeLine® is the perfect economical and standards compliant stair edging, and has been chosen for projects throughout Australia including:

- **Bunnings Bundamba** / Woollam Constructions
- **Bupa Care** / ADCO Constructions
- **Big Bear Shopping Centre** / Atlas Group
- **Wyndham Harbour** / Landscape Plus
- **Mona Vale Community Centre** / ADCO Constr.





SafeLine® Profiles

SafeLine® Step




MODEL	COLOUR	PRODUCT CODE
SafeLine Step Tread	Natural Silver	UMD081-XXX
	Black	UMD080-XXX
10mm SafeLine Step Angle	Natural Silver	UMD075-XXX
	Black	UMD076-XXX
10mm SafeLine Step Angle with Ramp	Natural Silver	UMD077-XXX
	Black	UMD078-XXX
30mm SafeLine Step Angle	Natural Silver	UMD085-XXX
	Black	UMD086-XXX

Where XXX = Insert colour (see right)





SafeLine® Twin



MODEL	COLOUR	PRODUCT CODE
10mm SafeLine Twin Angle	Natural Silver	UM010A
	Black	UM010A-160
25mm SafeLine Twin Angle	Natural Silver	UM010
	Black	UM010-160

Where XXX = Insert colour (see right)



SafeLine® Inserts



P5 rated when tested to AS4586:2013 and manufactured from a unique combination of aluminium oxide and a thick plastic carrier to provide a flexible yet durable anti-slip solution. SafeLine® inserts are formulated to resist water, steam and detergent and will withstand continuous temperatures in the range -30°C to 120°C. SafeLine® stair safety stair edging comes with the SafeLine® insert pre-assembled and cut to length.

SafeLine® Tape Rolls

An easy and effective means of achieving compliance to the NCC and access requirements

SafeLine® tape is supplied with a Peel&Stick pressure sensitive adhesive (PSA) backing that ensures permanent adhesion to most smooth surfaces and is an efficient way of ensuring P5 anti-slip rated safety with minimal fuss.

SafeLine® Tape is suitable for:

- Internal flooring surfaces prone to water or oil spillage
- Stairs and pedestrian ramps
- Demarcating isles and walkways
- Expansion joint cover plates
- Marine pleasure craft
- Bathrooms and pool areas

KEY FEATURES

- Easy to install with no fuss - ideal for DIY applications
- Provide an P5 safety rating, the highest in the industry
- Withstand temperatures below -30°C and up to 120°C
- Can be retro-fitted onto ceramic tiles, timber, metal and almost any other smooth surface
- Available in 25, 31, 50, 100, 150 and 200mm widths



WIDTH	CLEAR	RED	HAZARD	YELLOW	GREY	BLACK
25mm	SNCT25-Clear SNCT25-PL	SNCT25-170	SNCT25-Haz	SNCT25-112	SNCT25-155	SNCT25-160
31mm	-	-	-	SNCT31-112	SNCT31-155	SNCT31-160
50mm	SNCT50-Clear SNCT50-PL	-	SNCT50-Haz	SNCT50-112	SNCT50-155	SNCT50-160
100mm	-	-	-	SNCT100-112	SNCT100-155	SNCT100-160
150mm	-	-	-	SNCT150-112	SNCT150-155	SNCT150-160
200mm	-	-	-	SNCT200-112	SNCT200-155	SNCT200-160

CALL CTA ON 1300 282 282
TO ARRANGE A MEETING WITH A SALES CONSULTANT

